



# Trends in HIV Infection Stage 3 (AIDS)

# Stage 3 (AIDS) Classifications, Deaths, and Persons Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) 1985–2016—United States and 6 Dependent Areas




Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.

# Stage 3 (AIDS) Classifications and Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) among Adults and Adolescents 1985–2016—United States and 6 Dependent Areas




Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.

# Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact 1985–2016—United States and 6 Dependent Areas




Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.

# Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Injection Drug Use 1985–2016—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use.


# Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact and Injection Drug Use, 1985–2016—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category.




# Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Heterosexual Contact<sup>a</sup> 1985–2016—United States and 6 Dependent Areas



*Note.* Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.


# Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2016—United States and 6 Dependent Areas




<sup>a</sup> Hispanics/Latinos can be of any race.



# Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2016—United States and 6 Dependent Areas




# Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity 1985–2016—United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.

<sup>a</sup> Hispanics/Latinos can be of any race.

# Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity 1985–2016—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.

<sup>a</sup> Includes Asian/Pacific Islander legacy cases.



# Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact<sup>a</sup>, by Race/Ethnicity, 1985–2016

## United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

<sup>b</sup> Hispanics/Latinos can be of any race.

# Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact<sup>a</sup>, by Race/Ethnicity 1985–2016—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection


<sup>b</sup> Includes Asian/Pacific Islander legacy cases.



# Stage 3 (AIDS) Classifications among Persons with Diagnosed HIV Infection Attributed to Perinatal Transmission, 1985–2016—United States and 6 Dependent Areas




# Deaths of Adults and Adolescents with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 1985–2016—United States and 6 Dependent Areas



Note. Deaths of persons with diagnosed HIV may be due to any cause.

<sup>a</sup> Hispanics/Latinos can be of any race.

# Deaths of Adults and Adolescents with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 1985–2016—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause.

<sup>a</sup> Includes Asian/Pacific Islander legacy cases.



# Deaths of Female Adults and Adolescents with Stage 3 (AIDS), among Females with Diagnosed HIV Infection Attributed to Heterosexual Contact<sup>a</sup>, by Race/Ethnicity, 1985–2016—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection

<sup>b</sup> Hispanics/Latinos can be of any race.

# Deaths of Female Adults and Adolescents with Stage 3 (AIDS), among Females with Diagnosed HIV Infection Attributed to Heterosexual Contact<sup>a</sup>, by Race/Ethnicity, 1985–2016—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection

<sup>b</sup> Includes Asian/Pacific Islander legacy cases.


# Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category, 1985–2016—United States and 6 Dependent Areas



*Note.* Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.  
<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection..




# Male Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category, 1985–2016—United States and 6 Dependent Areas



*Note.* Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection..

# Female Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category, 1985–2016—United States and 6 Dependent Areas



*Note.* Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection..

